



FERRIS

PORTABLE TRANSISTOR CAR RADIO

WA
QLD

MODEL NOW

AL	TZ	CI	5WM				
NM	WF	PR	IX				
WA	QS	QB	SB	AK	GY		
OL	KQ	RK	IP	BC	BH	SO	
CR	IU	KA	GZ	HD	NC	NX	CN
NR	CB	KY	CH	KO	WN		

TAG
SA

ON	QT	EX	8DN	SAL				
EL	FC	HO	HT	2WL				
B	N	RM	7LA	9PA	SE	LN		
CK	CL	AN	PI	KA	PA	AD	AU	MG
2H	GI	LK	TR	SH	MA	NE		
LO	HI	DR	CS	AW	AK			

SUPER 3





FERRIS



FERRIS

TRANSISTOR RADIO


WA
QLD
NSW
VIC
SA
TAS
NT
ACT

AL
NM
CF
WA
QL
GR
EC
TZ
WN
PR
IX
QB
RK
CA
GZ
HD
NC
NX
KO
NM
NA
SB
AK
GY
IP
BC
CA
MB
BK
ZR
BH
SO
CN
WN
NA
5WM
5MU

ON
Y
ZL
E
EY
RM
CK
2H
WV
AR
EX
BDH
SAL
HO
HT
ZR
28G
7LA
9PA
AN
PI
KA
SE
IN
DN
PA
AD
AU
MS
LK
TR
SH
MA
HE
LO
UL
DB
CS
AW
AK
UZ
KZ
XY


SUPER 8





FERRIS PORTABLE
CAR RADIO

FERRIS PORTABLE
CAR RADIO



FERRIS MODEL 14

PLEASE READ CAREFULLY

SET OPERATES AS CAR RADIO WHEN IN CRADLE FROM 6 VOLT CAR BATTERY. SET OPERATES ON CAR SEAT OR AS PORTABLE ON INTERNAL 6VOLT DRY BATTERY.
DIAL LAMP ALIGHT PROVES CRADLE IS CONNECTED IN CORRECT POLARITY & SET IS WORKING FROM CAR BATTERY.
REMOVE 5 SCREWS IN BACK FOR ACCESS TO THE INTERNAL DRY BATTERY No.2582. REPLACE BACK CAREFULLY TO MAINTAIN COMPLETE SHIELDING.
IMPORTANT: ALL 5 SCREWS MUST BE REPLACED. TIGHTEN SECURELY BUT DO NOT OVERSTRAIN. A LOST SCREW MUST BE REPLACED WITH ONE OF SAME LENGTH.
A LONGER SCREW MAY DAMAGE SET.

NOTE: SOCKET AT SIDE IS FOR CAR-RADIO OR EXTERNAL WIRE AERIAL.
NO WITH SET IN CRADLE.

FERRIS BROS. CO. LTD. BROOKVALE

TO TEST BATTERY: SWITCH SET "ON"
CONNECT A VOLTMETER ACROSS CONTACTS MARKED + -
REPLACE BATTERY IF LESS THAN 3.5V
PAT. APP. 21710/62

FERRIS MODEL 14

ON CAR SEAT OR AS PORTABLE ON INTERNAL 6VOLT DRY BATTERY.
FROM CAR BATTERY.

BACK CAREFULLY TO MAINTAIN COMPLETE SHIELDING.
LARGEST SCREW MUST BE REPLACED WITH ONE OF SAME LENGTH.

TO TEST BATTERY: SWITCH SET "ON"

CONNECT A VOLTMETER ACROSS
CONTACTS MARKED + -

REPLACE BATTERY IF LESS THAN 3.5V

PAT. APP. 21710/62



FERRIS





