

F E R R I S

FERRIS

'SUPER NINE' PORTABLE CAR RADIO

ON-OFF TUNE AERIAL





MODEL 274  
9 TRANSISTOR  
12V CAR

CR	BH	TR	KA	LM	CA	HD	DU	NX	MWNA	WN	
KM	ML	FC	CO	KP	BL	GBUE	UW	SM	KO	GN	2
UL	WV	AR	BKN	LO	GI	UZ	DBLAKZ	AW	XYAK	WL	3
SOBU	ZL	GN	NT	GT	HOZR	HT	YBSR	GL	CV	2VM	7
QL	AT	SDR	GW	TO	GR	RD	LG	SDN	LM	ZR	GM
	GN	OS	AK	VL	CA	MB	SFA	AK	MK	2AY	4
	QR	KQ	QG	WK	AY	SBBC			BK	BH	50
	GF	RM	PA	CI							
OL	CK	CLVA	ANDN	WB	KA	AD	SE	AU	LN		6
	WA	NM	ALWF	WNPR	PMIX	KY	4BU	MU	2NM		
							4GY	2MG	BAL		










PORTABLE  
CAR RADIO

FERRIS

274 44967





tapo  
pickup



AIR

R1

FERRIS MODEL 274

PLEASE READ CAREFULLY:  
SET OPERATES AS CAR RADIO WHEN IN CRADLE FROM CAR BATTERY. SET OPERATES ON CAR SEAT OR AS PORTABLE ON INTERNAL DRY BATTERY. DIAL LAMP ALIGHT PROVES CRADLE IS CONNECTED IN CORRECT POLARITY AND SET IS WORKING FROM CAR BATTERY. REMOVE 5 SCREWS IN BACK FOR ACCESS TO BATTERY NO. 2582. REPLACE THE BACK CAREFULLY TO MAINTAIN COMPLETE SHIELDING. IMPORTANT: ALL 5 SCREWS MUST BE REPLACED. TIGHTEN SECURELY BUT DO NOT OVERSTRAIN. A LOST SCREW MUST BE REPLACED WITH ONE OF SAME LENGTH. A LONGER SCREW MAY DAMAGE SET.

To test Battery: Switch set on. Connect a voltmeter between centre contact at bottom of set and pickup jack. See diagram. Replace battery if less than 6 volts for 12 volt set or less than 3 volts for 6 volt set.




NOTE: Socket at side is for car radio or external wire aerial. Not used with set in cradle. Aust. Pat. No. 258935.









F E R R I S

FERRIS

SUPER NINE PORTABLE CAR RADIO



ON-OFF TUNE SERIAL



MODEL NO. 9

KM	CR	BH	TR	KA	LM	CA	HD	DU	NX	MW	NA	WN
ML	FC	CO	CP	BL	GB	UE	UW	SM	PK	BE	CN	TM
UL	WV	AP	BKN	LO	GI	UZ	DB	LAKZ	AW	XY	AK	WL
SO	BU	GN	BT	NT	GT	HO	ZR	HT	YBSR	GL	CV	EVM
QL	AT	BOR	GW	TO	GR	RD	LG	SON	LM	ZR	GM	GD
GN	GS	RK	VL	CA	MB	SPA	AK	AK	MA	2AY	90	
GR	KG	GG	WK	AY	BB	BC	BK	BH				
CL	WA	NM	GF	CK	CL	VA	RM	ANDN	WA	CI	KA	AD
									SE	AU	LN	
									48U	MU		
									49Y	2NM	BAL	

